

Weather Proof Cover - Plastic In-Use Weatherproof Cover, Single-Gang, Vrt, 2.25" White

Item WP1000WC



FEATURES

- Complies with 2020 NEC Article 314.15 for damp and wet locations
- ► UL Certified for Type 3R outdoor enclosures
- Meets requirements for cold impact testing: -60° F (-51° C)
- Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick, pre-adhered neoprene gasket with slits for mounting screws
- Three inserts provided with all models that allow each model to meet multiple installations (up to 8 configurations)
- ► Max cord size: (2) #14 AWG or (1) #12 AWG
- ► Warranty: 1-year limited

APPLICATIONS

Receptacle Protection

TECHNICAL DATA

շանու

General	
Model Number	WP1000WC
Description	Plastic In-Use Weatherproof Cover, Single-Gang, Vrt, 2.25" White
UPC Code	078275140097
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited
Mechanical Specifications	
Number of Included Inserts	3
Insert Types Included	WP17
Hinge Direction	Vertical
Is Extra-Duty Rated	No
Dimensions	
Product Dimensions (H x W x D) in	5 1/2 x 3 4/5 x 2 1/4 in
Accepted Cord Size Max	2x14 AWG; 1x12 AWG
Вох Туре	Single
Material Specifications	
Color	White
Weatherproof Cover Material	UV Stabilized Plastic
Packaging	
Shipping Weight (Ibs)	0.399
Unit Carton Dimensions (H x W x L) in	8.13 x 5.5 x 3.56 in
Standards and Certifications	
UL Certification	cULus

California Proposition 65

None





ACCESSORIES



WP17 Single-Gang Inserts (3)