

Weather Proof Cover - Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" Clear

Item WP1220C



PRODUCT DESCRIPTION

Plastic In-Use Weatherproof Covers are easy to install and include a gasket, mounting screws, base, cover assembly, and inserts to meet the needs of a variety of applications.

FEATURES

- ▶ Complies with 2020 NEC Article 314.15 for damp and wet locations
- ▶ UL Certified for Type 3R outdoor enclosures
- ▶ Meets requirements for cold impact testing: -60° F (-51° C)
- ▶ Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick neoprene gasket with slits for mounting screws
- ▶ Six inserts provided with all models that allow each model to meet multiple installations (up to 70 configurations)
- ▶ Max cord size: (2) #14 AWG or (1) #12 AWG, WP1250 (2) #14 AWG or (1) #10 AWG
- ▶ Warranty: 1-year limited

APPLICATIONS

- ▶ Receptacle Protection

TECHNICAL DATA

General

| | |
|--------------------------------|--|
| Model Number | WP1220C |
| Description | Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" Clear |
| UPC Code | 078275072695 |
| Brand | Intermatic |
| Country of Origin (Intermatic) | MEXICO |
| Warranty Period | 1-Year limited |

Mechanical Specifications

| | |
|----------------------------|----------|
| Number of Included Inserts | 6 |
| Insert Types Included | WP217 |
| Hinge Direction | Vertical |
| Is Extra-Duty Rated | No |

Dimensions

| | |
|-----------------------------------|--------------------|
| Product Dimensions (H x W x D) in | 5.5 x 5 x 2.25 in |
| Accepted Cord Size Max | 2x14 AWG; 1x12 AWG |
| Box Type | Double |

Material Specifications

| | |
|-----------------------------|-----------------------|
| Color | Clear |
| Weatherproof Cover Material | UV Stabilized Plastic |

Packaging

| | |
|---------------------------------------|--------------------------|
| Shipping Weight (lbs) | 0.444 |
| Unit Carton Dimensions (H x W x L) in | 3.001 x 5.501 x 5.501 in |

Standards and Certifications

| | |
|---------------------------|-------|
| UL Certification | cULus |
| California Proposition 65 | None |
| RoHS Certification | X |

ACCESSORIES



WP217
Double-Gang Inserts (6)