

Weather Proof Cover - Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" Gray

Item WP1220GC



FEATURES

- ► Complies with 2020 NEC Article 314.15 for damp and wet locations
- ► UL Certified for Type 3R outdoor enclosures
- ► Meets requirements for cold impact testing: -60° F (-51° C)
- ► Heavy-duty UV stabilized polycarbonate cover, mounting base and inserts
- ▶ 1/8" (3 mm) thick neoprene gasket with slits for mounting screws
- ► Six inserts provided with all models that allow each model to meet multiple installations (up to 70 configurations)
- Max cord size: (2) #14 AWG or (1) #12 AWG, WP1250 (2) #14 AWG or (1) #10 AWG
- ► Warranty: 1-year limited

APPLICATIONS

Receptacle Protection

c (UL) us

TECHNICAL DATA

General	
Model Number	WP1220GC
Description	Plastic In-Use Weatherproof Cover, Double-Gang, Vrt, 2.25" Gray
UPC Code	078275140073
Brand	Intermatic
Country of Origin (Intermatic)	MEXICO
Warranty Period	1-Year limited

Mechanical Specifications		
Number of Included Inserts	6	
Insert Types Included	WP217	
Hinge Direction	Vertical	
Is Extra-Duty Rated	No	

Dimensions	
Product Dimensions (H x W x D) in	5 1/2 x 5 x 2 1/4 in
Accepted Cord Size Max	2x14 AWG; 1x12 AWG
Вох Туре	Double

Material Specifications	
Color	Gray
Weatherproof Cover Material	UV Stabilized Plastic

Packaging	
Shipping Weight (lbs)	0.559
Unit Carton Dimensions (H x W x L) in	3.001 x 5.501 x 5.501 in

Standards and Certifications	
UL Certification	cULus



California Proposition 65

None



ACCESSORIES



WP217 Double-Gang Inserts (6)