

# Photocontrol - Stem and Swivel Mount Thermal Photocontrol, 120 V, Mexico Sales Only

## Item K4251MX



## **PRODUCT DESCRIPTION**

These photocontrols are provided with a swivel arm for easy and flexible installation to standard outdoor light fixtures or electrical boxes.

## **FEATURES**

- ► Mechanical bimetal switch with Cadmium Sulfide photocell
- ► Delay feature prevents unwanted OFF switching
- ► High strength, UV resistant plastic housing
- ► Swivel with 1/2"-14 NPSM threaded stem
- ► Washer gasket and locking nut included
- ► #18 AWG, 6" wire leads

#### **APPLICATIONS**

► Outdoor Lighting Control

## **TECHNICAL DATA**

General	
Model Number	K4251MX
Description	Stem and Swivel Mount Thermal Photocontrol, 120 V, Mexico Sales Only
UPC Code	078275067752
Brand	Intermatic
Country of Origin (Intermatic)	CHINA
Warranty Period	1-Year limited

Control Specifications	
Sensor Time Delay	30 sec to 90 sec
Photocell Type	Cadmium Sulfide
Photo Control Switch Type	Mechanical Bimetal
Fail Mode	ON
Activation On	1 to 5 fc
Activation Off	3 to 15 fc
Photocontrol Type	Thermal
Application Compatibilities	HID; Fluorescent; Incandescent
Photocontrol Style	Stem and Swivel Mount
Photocontrol Sensor Location	Тор

Dimensions	
Product Height (in)	4
Product Height (mm)	101.6
Product Width (in)	1.375
Product Width (mm)	34.9
Product Depth (in)	1.375
Product Depth (mm)	34.9
Wire Lead Length (in)	9



Wire Lead Length (mm) 228.6

Wire Size Max #18 AWG

**Material Specifications** 

Cover Color Gray

Housing Material Polycarbonate

**Load Ratings** 

Magnetic Ballast Range(s) 8.3 A, 1000 VA

Tungsten Range(s) 15 A, 1800 W

**Electrical Specifications** 

Wiring Option Wire leads

Input Voltage Range(s) 120 VAC, 50/60 Hz

**Packaging** 

Shipping Weight (lbs) 0.301

Unit Carton Dimensions (H x W x D) in 4.88 x 1.75 x 3 in

**Operating Specifications** 

Expected Lifetime (Years) 5

Expected Lifetime (Operations) 3650

**Environmental Specifications** 

Temperature (operation) -40°C..70°C

Usage Environments Outdoor

Standards and Certifications

CSA Certification CSA

Other Certifications and Compatibilities NOM; Title 20

California Proposition 65 None

RoHS Certification X



## **ACCESSORIES**



K42-SW-A

Swivel Arm Accessory for EK4136S, K4100 Series Stem Mount Photocontrols



22LG116

Light Guard Accessory for K4100 Series, K4200 Series Thermal Photocontrols



6LV1352

Light Shield Accessory for EK4036S, EK4436SM, K4000 Series Button Photocontrols